



E-BOREALE PORTE PIVOTANTE ISOTHERME GAMME ESSENTIEL



RÉFÉRENCE POSITIVE:

SPP00009439 D.T 700x1900 mm SPP00009438 G.T 700x1900 mm SPP00009441 D.T 800x2000 mm SPP00009440 G.T 800x2000 mm SPP00009442 D.T 900x2000 mm

SPP00009443 G.T 900x2000 mm

RÉFÉRENCE NÉGATIVE:

SPP00011176 D.T **800x2000 mm**SPP00011175 G.T **800x2000 mm**SPP00011177 D.T **900x2000 mm**SPP00011178 G.T **900x2000 mm**

PORTE PIVOTANTE ISOTHERME

PORTE COULISSANTE ISOTHERME PORTE PIVOTANTE ISOTHERME COUPE FEU PORTE DE SERVICE PIVOTANTE SEMI ISOTHERME PORTE VA ET VIENT SEMI ISOTHERME

PORTE DE SERVICE PIVOTANTE SEMI ISOTHERME COUPE FEU PORTE SOUPLE ENROULABLE

APPLICATION:

Un bloc porte signé SOMAFRAC, destiné aux chambres froides positives et négatives, entrepôts et tunnels et Technique de congélation, spécialement conçu pour maintenir en température les zones de stockage des marchandises.









